A series of measurements allows assessment of the kitten's growth. Please note that there is no ideal centile line, and growth can be considered normal provided that it tracks along the same centile line (or 'channels' in between two centile lines) over time.

• The 50th centile is not the goal for each kitten.

FEMALE


• Likewise, the 99.6th centile is not the goal for each kitten.

Increases or decreases in growth beyond two centiles or a flat growth line (prior to reaching adult weight) are all signs of potential growth disturbances.

- A growth rate that is too rapid resulting in a change in direction upwards across multiple centiles could indicate a risk of the kitten becoming overweight or obese.
- Slow growth resulting in a change in direction downwards across multiple centiles could be a sign of failure-to-thrive.

Vet Contact Details:

Cat's Name:			
D.O.B.		Neuter Date:	
Date	Age (weeks)	Weight (kg)	Recorded by



FEMALE

© Mars Petcare UK, 2019

A series of measurements allows assessment of the kitten's growth. Please note that there is no ideal centile line, and growth can be considered normal provided that it tracks along the same centile line (or 'channels' in between two centile lines) over time.

• The 50th centile is not the goal for each kitten.

MALE


• Likewise, the 99.6th centile is not the goal for each kitten.

Increases or decreases in growth beyond two centiles or a flat growth line (prior to reaching adult weight) are all signs of potential growth disturbances.

- A growth rate that is too rapid resulting in a change in direction upwards across multiple centiles could indicate a risk of the kitten becoming overweight or obese.
- Slow growth resulting in a change in direction downwards across multiple centiles could be a sign of failure-to-thrive.

Vet Contact Details:

Cat's Name:			
D.O.B.		Neuter Date:	
Date	Age (weeks)	Weight (kg)	Recorded by



MALE

© Mars Petcare UK, 2019